

Notice of Allowability

Application No.

10/065,404

Examiner

Behrooz Senfi

Applicant(s)

LIN, TAO

Art Unit

2613

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 10/15/02.
2. ☒ The allowed claim(s) is/are 1-20.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

VU LE
PRIMARY EXAMINER

DETAILED ACTION

Allowable Subject Matter

1. Claims 1 – 20 are allowed over the prior art of the records.
2. The following is an examiner's statement of reasons for allowance:

The prior art of the record fails to anticipate or rendered obvious, an error recovery from macro-block location errors including, a macro-block counting error-detector comprising: "a macro-block decoder, coupled to a bit-stream input, for decoding macro-blocks in a bit-stream, a macro-block counter for counting a number of macro-blocks decoded from the bit-stream, a header decoder, coupled to the bit-stream input, for decoding a packet header that includes a header macro-block number, a count comparator, coupled to the macro-block counter and to the header decoder, for comparing the header macro-block number to a macro-block count from the macro-block counter, an error controller, activated by the count comparator, for controlling over-writing of the macro-block counter by the header macro-block number to recover from a macro-block counting error, a discontinuity calculator, responsive to the error controller, receiving edge pixels from at least two macro-blocks, the edge pixels being along at least one common edge between the at least two macro-blocks, for calculating a degree of pixel discontinuity, and a discontinuity comparator for comparing the degree of pixel discontinuity from the discontinuity calculator to a threshold, the error controller over-writing the macro-block counter with the header macro-block number when the threshold is met, whereby the degree of

Art Unit: 2613

pixel discontinuity controls over-writing of the macro-block counter with the header macro-block number” as cited in the independent claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Behrooz Senfi** whose telephone number is **(571) 272-7339**.

If attempts to reach the examiner by telephone are unsuccessful, the examiner’s supervisor, **Mehrdad Dastouri** can be reached on **(571) 272-7418**.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Or faxed to:

(571) 273-8300.


Hand-delivered responses should be brought to Randolph Building, 401 Dulany Street, Alexandria, Va. 22314.

Art Unit: 2613

Any inquiry of a general nature or relative to the status of the application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

B. M. S. 

9/27/2005


VU LE
PRIMARY EXAMINER